

System 3R

Gremotool clamping devices & System 3R





Wilerstrasse 3 CH-9200 Gossau info@gremotool.ch www.gremotool.ch

Phone +41 (0)71 930 03 90



Overview

Gremotool clamping devices with System 3R

Overview	2
Product presentation	3
Overview of products	10
Variant table	12
System 3R Macro	12
System 3R MacroMagnum	14
System 3R GPS-70	17
System 3R GPS-120	19
System 3R GPS-240	21
System 3R Dynafix	25
System 3R Delphin	29
Applications	34
Zero-point clamping systems	34
Gremotool Fixture	35
Accessories	36
Imprint	38



Product presentation

Gremotool clamping devices with System 3R

The automated production requires flexible and precise clamping devices. System 3R's zero-point clamping system provide a larger part of this flexibility. Different clamping devices require a common interface so that they can be customised to the requirements of the workpiece to be clamped. The ideal solution is clamping devices of Gremotool, which precisely connect the workpiece and the zero-point clamping system.





Product presentation

Advantages Gremotool with System 3R

Clamping force

The high clamping forces of the Gremotool clamping devices can be influenced by torque or pressure. This makes it possible to clamp plastic workpieces without deformation and forged parts with a secure hold without damaging the clamping device.

Centering precision

The design of all Gremotool centring vices guarantees the user precise centring of +/-0.02 mm in the centre of the clamping device.

Accessibility

The Gremotool clamping devices are suitable for various application scenarios. Accessibility for the processing machine is a key element in enabling the best possible processing strategy. They can be used directly on the zero-point clamping system, on pallets or on towers.

Compact

The compact power package fit into any machine and guarantee a firm hold of the workpiece for machining. The solid construction with low weight also allows manual retooling.

Enclosed and low maintenance

Due do the design of the centre clamps, no chips remain in the clamping device. This means that all components are subject to less wear, which reduces maintenance to a minimum.

Short set-up times

Gremotool clamping devices are all equipped with various connection options. No special versions for standard pallets are required to change the clamping devices, precision pins and screws are loosened and tightened again.

Large range of jaws

The jaws on all Gremotool centre clamps are interchangeable. From gripping jaws to soft jaws made of aluminium, no requirements remain unfulfilled for the demands placed on the workpieces.

Automating the process

If special requirements of the automation are placed on the clamping devices, the Gremotool clamping devices are ideal. The clamping devices can be equipped with various interfaces, including those integrated directly into the clamping device. This allows the machining area of the machine to be utilised even more optimally.

Short delivery times

The short delivery times of jaws allows to work quickly and flexibly with the Gremotool range of jaws.

Get started immediately


A pair of gripper jaws is supplied with each clamping device at no extra cost, allowing you to clamp raw parts at no additional costs.



pneumatic / hydraulic

Product presentation

PMC-50 with System 3R MacroMagnum










2x SC-100 with System 3R Dynafix






Product presentation



VC-74 vise modules with System 3R Delphin






Product presentation



LC-50 with integrated System 3R GPS-120











RC-38 with System 3R Dynafix






Overview of products

Gremotool clamping devices with System 3R



VC




RC





Overview of products

Gremotool clamping devices and System 3R







System 3R Macro with SC

The SC series can be mounted on the Macro pallets from System 3R without modifications.

It is also possible to attach only the reference element directly to the SC series without a superstructure.

The height of the SC series enables optimum accessibility for 5-axis machining on workpieces.

The large range of jaws also offers suitable jaws for any application.

For the exact data of the SC series, please get directly in touch with us or consult the SC catalogue.



SC-34 with System 3R Macro Pallet




SC-40 with System 3R Macro Pallet





System 3R Macro with LC



It is also possible to attach only the reference element directly to the LC series without a superstructure.

Due to the enclosed design of the LC series, no chips remain on the clamping device.

The large range of jaws also offers suitable jaws for any application.

For the exact data of the LC series, please get directly in touch with us or consult the LC catalogue.



LC-34 with System 3R Macro Pallet



LC-40 with System 3R Macro Pallet



Variant table

System 3R MacroMagnum with PMC



The PMC/HMC-50 is designed to fit the MacroMagnum pallet by System 3R.

This is supplied from below through the pallet using pneumatics or hydraulics.

The clamping force of the PMC can be individually adjusted to the workpiece using the reducing valve.

The large range of jaws also offers suitable jaws for any application.

For the exact data of the PMC series, please get directly in touch with us or consult the PMC catalogue.



PMC-50 with System 3R MacroMagnum Palette



HMC-50 with System 3R MacroMagnum-Palette





Variant table

System 3R MacroMagnum with SC

The SC series can be mounted on System 3R MacroMagnum pallets without modifications.

The height of the SC series enables optimum accessibility for 5-axis machining on workpieces.

The large range of jaws also offers suitable jaws for any application.

For the exact data of the SC series, please get in touch directly with us or consult the SC catalogue.



SC-50 with System 3R MacroMagnum Pallet



2x SC-40 with System 3R MacroMagnum-Pallet



SC-60 with System 3R MacroMagnum-Pallet



SC-74 with System 3R MacroMagnum-Pallet





System 3R MacroMagnum with LC



Due to the closed design of the LC series, no chips remain on the clamping device.

The large range of jaws also offers suitable jaws for any application.

For the exact data of the LC series, please get directly in touch with us or consult the LC catalogue.



LC-50 with System 3R MacroMagnum Pallet



2x LC-40 with System 3R MacroMagnum-Pallet



LC-60 with System 3R MacroMagnum-Pallet




LC-74 with System 3R MacroMagnum-Pallet





System 3R GPS-70 with SC



The height of the SC series enables optimum accessibility for 5-axis machining on workpieces.

The large range of jaws also offers suitable jaws for any application.

For the exact data of the SC series, please get directly in touch with us or consult the SC catalogue.



SC-34 with System 3R GPS-70 Pallet




SC-40 with System 3R GPS-70-Pallet





System 3R GPS-70 with LC



Due to the closed design of the LC series, no chips remain on the clamping device.

The large range of jaws also offers suitable jaws for any application.

For the exact data of the LC series, please get directly in touch with us or consult the LC catalogue.



LC-34 with System 3R GPS-70 Pallet




LC-40 with System 3R GPS-70-Pallet





System 3R GPS-120 with SC



The height of the SC series enables optimum accessibility for 5-axis machining on workpieces.

The large range of jaws also offers suitable jaws for any application.

For the exact data of the SC series, please get directly in touch with us or consult the SC catalogue.



SC-40 with System 3R GPS-120 Pallet



SC-34 with System 3R GPS-120-Pallet



SC-50 with System 3R GPS-120 Pallet



SC-60 with System 3R GPS-120 Pallet





System 3R GPS-120 with LC

The LC series can be mounted on the GPS-120 pallets from System 3R without modifications.

Due to the closed design of the LC series, no chips remain on the clamping device.

The large range of jaws also offers suitable jaws for any application.

For the exact data of the LC series, please get directly in touch with us or consult the LC catalogue.



LC-40 with System 3R GPS-120 Pallet



LC-34 with System 3R GPS-120-Pallet



LC-50 with integrated System 3R GPS-120 Pallet

Further variants can be requested directly by Gremotool.



LC-50 with System 3R GPS-120 Pallet




LC-60 with System 3R GPS-120 Pallet



pneumatic



System 3R GPS-240 with PMC



Pneumatically supplied from below through the pallet.

Using the reducing valve the clamping force can be individually adjusted to the workpiece.

The large range of jaws also offers suitable jaws for any application.

For the exact data of the PMC series, please get directly in touch with us or consult the PMC catalogue.



PMC-60 with System 3R GPS-240 Pallet



PMC-60l with System 3R GPS-240 Pallet



PMC-74 with System 3R GPS-240 Pallet






System 3R GPS-240 with SC

The SC series can be mounted on the GPS-240 pallets from System 3R without any modifications.

The height of the SC series enables optimum accessibility for 5-axis machining on workpieces.

The large range of jaws also offers suitable jaws for any application.

For the exact data of the SC series, please get directly in touch with us or consult the SC catalogue.



SC-74 with System 3R GPS-240 Pallet




SC-60 with System 3R GPS-240 Pallet



SC-100 with System 3R GPS-240 Pallet



2x SC-60 with System 3R GPS-240 Pallet



2x SC-74 with System 3R GPS-240 Pallet



2x SC-100 with System 3R GPS-240 Pallet

Further variants can be requested directly by Gremotool.





System 3R GPS-240 with LC

The LC series can be mounted on the GPS-240 pallets from System 3R without any modifications.

Due to the closed design of the LC series, no chips remain on the clamping device.

The large range of jaws also offers suitable jaws for any application.

For the exact data of the LC series, please get directly in touch with us or consult the LC catalogue.



LC-74 with System 3R GPS-240 Pallet



LC-60 with System 3R GPS-240 Pallet



LC-100 with System 3R GPS-240 Pallet



2x LC-60 with System 3R GPS-240 Pallet



2x LC-74 with System 3R GPS-240 Pallet



2x LC-100 with System 3R GPS-240 Pallet

Further variants can be requested directly by Gremotool.






System 3R GPS-240 with RC

The RC-series can be mounted on the pore hole grid panels and on the GPS-240 pallets form System 3R without modifications.


The modular design of the RC-series allows different clamping situations for the workpieces.

The quick-change jaw system offers a pull-down function and the right jaw for the workpieces.


For the exact data of the RC series, please get directly in touch with us or consult the RC catalogue.



3x RC-38 with System 3R GPS-240 Pallet



RC-38 with System 3R GPS-240 Pallet



4x RC-38 with System 3R GPS-240 Pallet



2x RC-38with System 3R GPS-240 Pallet



2x RC-38 facing outwards with System 3R GPS-240 Pallet





Variant table

System 3R Dynafix with PMC

The PMC series is designed to fit the Dynafix pallet from System 3R.

Pneumatically supplied from below through the pallet.

Using the reducing valve the clamping force can be individually adjusted to the workpiece.

The large range of jaws also offers suitable jaws for any application.

For the exact data of the PMC series, please get directly in touch with us or consult the PMC catalogue.



PMC-74 with System 3R Dynafix Pallet








System 3R Dynafix with SC

The SC series can be mounted on the Dynafix pallets from System 3R without any modifications.

The height of the SC series enables optimum accessibility for 5-axis machining on workpieces.

The large range of jaws also offers suitable jaws for any application.

For the exact data of the SC series, please get directly in touch with us or consult the SC catalogue.



SC-100 with System 3R Dynafix Palette




SC-60 with System 3R Dynafix Pallet



2x SC-74 with System 3R Dynafix Pallet



2x SC-60 with System 3R Dynafix Pallet



SC-74 with System 3R Dynafix Pallet



2x SC-100 with System 3R Dynafix Pallet

Further variants can be requested directly by Gremotool.





Variant table

System 3R Dynafix with LC

The LC series can be mounted on the Dynafix pallets from System 3R without any modifications.

Due to the closed design of the LC series, no chips remain on the clamping device.

The large range of jaws also offers suitable jaws for any application.

For the exact data of the LC series, please get directly in touch with us or consult the LC catalogue.



LC-100 with System 3R Dynafix Pallet



LC-60 with System 3R Dynafix Pallet



2x LC-74 with System 3R Dynafix Pallet



2x LC-60 with System 3R Dynafix Pallet



LC-74 with System 3R Dynafix Pallet



2x LC-100 with System 3R Dynafix Pallet

Further variants can be requested directly by Gremotool.






System 3R Dynafix with RC

The RC-series can be mounted on the pore hole grid panels and on the Dynafix pallets form System 3R without modifications.


The modular design of the RC-series allows different clamping situations for the workpieces.

The quick-change jaw system offers a pull-down function and the right jaw for the workpieces.

For the exact data of the RC series, please get directly in touch with us or consult the RC catalogue.



4x RC-38 with System 3R Dynafix Pallet



2x RC-38 with System 3R Dynafix Pallet




3x RC-38 with System 3R Dynafix Pallet




2x RC-38 facing outwards

with System 3R Dynafix Pallet

3x RC-38 with System 3R Dynafix Pallet



2x RC-38 with System 3R Dynafix Pallet



4x RC-38 with System 3R Dynafix Pallet

Further variants can be requested directly by Gremotool.



Variant table

System 3R Delphin with PMC/HMC



The PMC/HMC series is designed to fit the Delphin pallets of System 3R.

Pneumatically or hydraulically supplied from below through the pallet.

The clamping force of the PMC can be individually adjusted to the workpiece using the reducing valve.

The large range of jaws also offers suitable jaws for any application.

For the exact data of the PMC/HMC series, please get directly in touch with us or consult the PMC/HMC cata-logue.



PMC-120 with System 3R Delphin 398 Pallet





HMC-100 with System 3R Delphin 398 Pallet



GRENOTOOL[®]

HMC-120 with System 3R Delphin 398 Pallet



2x PMC-74 with System 3R Delphin 448 Pallet






System 3R Delphin with SC

The SC series can be mounted on the Delphin pallets from System 3R without any modifications.

The height of the SC series enables optimum accessibility for 5-axis machining on workpieces.

The large range of jaws also offers suitable jaws for any application.

For the exact data of the SC series, please get directly in touch with us or consult the SC catalogue.




SC-120 with System 3R Delphin 398 Pallet



2x SC-74 with System 3R Delphin 398 Pallet



6x SC-60 with System 3R Delphin 448 Pallet




2x SC-100 with System 3R

Delphin 398 Pallet

Further variants can be requested directly by Gremotool.

2x SC-120 with System 3R Delphin 448 Pallet



2x SC-120 with System 3R Delphin 398 Pallet






System 3R Delphin with VC

The VC series can be mounted on the bore hole grid panels and on the Delphin pallets from System 3R without modifications.

The modular design of the clamping system allows the clamping device to be customised to the respective application.

The large range of jaws also offers suitable jaws for any application.

For the exact data of the VC series, please get directly in touch with us or consult the VC catalogue.



2x VC-74 with System 3R Delphin 398 Pallet



3x VC-74 with System 3R Delphin 398 Pallet





System 3R Delphin with LC

The LC series can be mounted on the Delphin pallets from System 3R without any modifications.

Due to the closed design of the LC series, no chips remain on the clamping device.

The large range of jaws also offers suitable jaws for any application.

For the exact data of the LC series, please get directly in touch with us or consult the LC catalogue.



LC-120 with System 3R Delphin 398 Pallet



LC-150 with System 3R Delphin 398 Pallet



2x LC-120 with System 3R Delphin 398 Pallet



спелотооце спелотооце спелотооце

2x LC-74 with System 3R Delphin 398 Pallet



2x LC-120 with System 3R Delphin 448 Pallet



2x LC-100 with System 3R Delphin 398 Pallet



2x LC-150 with System 3R Delphin 448 Pallet






System 3R Delphin with RC

The RC-series can be mounted on the pore hole grid panels and on the Delphin pallets form System 3R without modifications.


The modular design of the RC-series allows different clamping situations for the workpieces.

The quick-change jaw system offers a pull-down function and the right jaw for the workpieces.


For the exact data of the RC series, please get directly in touch with us or consult the RC catalogue.




4x RC-38 with System 3R Delphin 448 Pallet



2x RC-38 with System 3R Delphin 398 Pallet 3x RC-38 with System 3R Delphin 398 Pallet




8x RC-38 with System 3R Delphin 398 Pallet



2x RC-38 with System 3R Delphin 448 Pallet



3x RC-38 with System 3R Delphin 448 Pallet



3x RC-38 with System 3R Delphin 448 Pallet



Applications

Zero-point clamping systems

The System 3R centring elements can be attached directly to the clamping system to generate fewer interfaces.

If further requirements are placed on the clamping systems, these can be integrated into the pallet geometries. This frees up several millimetres of machining space without compromising the functionality or automation capability of the clamping devices.

Special dimensions are another way of optimising the space required for production.

For these suggested solutions, please get directly in touch with us.



2x LC-150k with System 3R Delphin 398 Pallet



SC-50k with System 3R Macro Pallet



LC-50 with integrated System 3R GPS-120 Pallet automatable




Applications


Gremotool Fixture

Today's cost-effective production requires flexible solutions for maximum efficiency. We can contribute to maximum utilisation of the processing machine with towers, prisms, or pyramids.


For suggested solutions in multiple clamping, please get directly in touch with us.



2x LC-150k with prism on System 3R Delphin 398 Pallet



4x SC-50 with Pyramid on System 3R Dynafix Pallet



8x SC-40 with Tower on System 3R Delphin 398 Pallet



Tower with Delphin Short zero-point chuck



Accessories

Gremotool range of jaws

Each clamping system is supplied with a pair of gripper jaws allowing to clamp unmachined parts at no additional costs.


Jaw width [mm]		34	40	50	60	74	100	120	150
SC-gripper jaw flat	Nr. 837110	Х	Х	Х	Х	Х	Х	Х	Х
SC-gripper jaw	Nr. 837150	Х	Х	Х	Х	Х	Х	Х	Х
Standard gripper jaw	Nr. 837250	Х	Х	Х	Х	Х	Х	Х	Х
High gripper jaw	Nr. 837300	Х	Х	Х	Х	Х	Х	Х	Х
Combi jaw	Nr. 837350	Х	Х	Х	Х	Х	Х	Х	Х
Automation gripper jaw	Nr. 837380	Х	Х	Х	Х	Х	Х	Х	Х
Automation step jaw	Nr. 837400	Х	Х	Х	Х	Х	Х	Х	Х
Step jaw flat	Nr. 837410	Х	Х	Х	Х	Х	Х	Х	Х
Standard step jaw	Nr. 837450	Х	Х	Х	Х	Х	Х	Х	Х
Prism jaw	Nr. 837500	Х	Х	Х	Х	Х	Х	Х	Х
Soft jaw Aluminium	Nr. 837702	Х	Х	Х	Х	Х	Х	Х	Х
Soft jaw Steel	Nr. 837703	Х	Х	Х	Х	Х	Х	Х	Х

For the exact data of the jaws, please consult the jaw catalogue.



Accessories

Gremotool range of jaws









Gremotool GmbH Wilerstrasse 3 CH-9200 Gossau Schweiz

www.gremotool.ch info@gremotool.ch +41 (0)71 930 03 90

Our general terms and conditions apply, which can be accessed at www.gremotool.ch. Further catalogues can be downloaded from the website www.gremotool.ch. Commercial Register: UID-Nr. CHE-498.310.590

This document is protected by copyright. All rights reserved. Any use, even partial use, in particular publication, duplication, distribution, reproduction, processing and/or modification, requires the prior written authorisation of Gremotool GmbH. Misprints, errors, and technical changes reserved.

Publication March 2025, 2nd Edition

